



51678.22

U 678B.2-1

Mount/sample No: 96-78

Date: 2/1/97

Page No: 02

Rejection over-ride	Sample/ Std ID	Time - printout	UO/U	196 cps	206 cps	U ppm	204Pb ppb	f206 %	Age ±1σ (Ma)		Corr.
									206/238	207/206	

Restore all

SAMPLE B

	UA-8-1	23:35	7.3	7.9	2439	303	333	11.2	800	1868	204
	UB-1-1	00:09	7.4	7.5	2517	188	39	1.3	1381	1430	204
	UB-2-1	00:31	7.5	7.1	2295	215	136	4.9	1122	1641	204
	<del>SL-2-5</del>	00:55	7.4	6.9	1065	220	0.7	.05	587	577	208
	UB-3-1	01:19	8.0	6.7	1961	166	1.8	.08	1149	1387	204
	UB-4-1	01:45	8.0	7.2	2072	184	2.5	.13	1031	1432	204
	UB-5-1	02:03	7.4	7.3	1766	124	1.2	-.06	1524	1524	204
	UB-5-2	02:23	7.3	7.1	2968	221	3.6	-.09	1529	1511	204
	SL-1-1	02:48	7.2	6.6	907	224	-ve	-.06	562	542	208
	UB-6-1	03:11	8.8	5.6	2462	358	4.1	.18	659	1201	204
	UB-7-1	03:37	7.9	7.1	1335	135	9.7	.72	953	1457	204
	UB-8-1	03:58	7.7	6.8	2852	217	6.9	.21	1400	1488	204
	UB-9-1	04:16	8.3	6.2	2250	333	7.6	.35	670	1021	204
	SL-1-2	04:44	7.3	6.9	1021	223	1.3	-.04	576	574	208
	UB-10-1	05:13	7.6	6.9	2809	206	5.7	.17	1473	1516	204
	UB-11-1	05:35	8.4	6.0	3311	453	22.2	.68	710	1266	204
	UB-12-1	05:51	7.4	7.2	1581	117	1.5	.07	1494	1530	204
	UB-13-1	06:15	8.1	6.3	3484	234	2.8	.07	1418	1458	204
	SI-1-3	06:34	7.5	6.8	1032	220	0.4	-.08	571	602	208
	UB-14-1	06:57	8.0	7.0	2633	190	4.0	-.15	1287	1461	204
	UB-15-1	07:17	7.7	6.4	2740	202	5.0	-.15	1470	1487	204
	UB-15-2	07:39	7.8	6.5	2812	205	2.1	-.06	1450	1489	204
	UB-15-3	07:58	7.5	7.2	3287	232	3.4	-.09	1450	1525	204
	SI-1-4	08:16	7.4	6.8	1034	220	-ve	-.09	576	572	208
	UB-16-1	08:36	8.1	6.7	2647	213	3.4	.13	1182	1408	204

Delete last scan  
Restore all

