



C10, 28 2002

Rejection over-ride	Sample/ Std ID	Time - printout	UO/U	106 Kcps	206 Kcps	U ppm Kcps	204pb ppb	f206 % Kcps	Age ±1σ (Ma)	Offsets OK?
---------------------	----------------	-----------------	------	----------	----------	------------	-----------	-------------	--------------	-------------

	113e1-2	14:21	7.59	2.5	13.6	555	17	32.8	0.37	0.1217	✓
	113d1-1	14:46	7.8	0.7	12.7	16	9	71.9	0.88	0.113	✓
	113c1-1	15:11	7.1	0.6	14.3	22	11	93	0.91	0.1275	✓
	113c1-2	15:34	6.99	1.2	16.8	388	7	91	0.6	0.123	✓
	MGI.2-1	16:06	8.69	2.3	7.9	24	1	210	0.57	0.058	✓
	<del>MGI.3-1</del>										
	MGI.4-1	17:24	8.80	1.8	6.8	21.2	4	156	0.57	0.057	✓
	X1.2-1	17:45	9.0	0.2	382	451	2	157	1.53	0.072	✓
	X1.3-1	18:09	8.9	0.2	395	455	7	156	1.55	0.071	✓
	BS1.1-1	18:29	8.6	3.5	4.1	11.7	1	174	0.59	0.059	✓
	113b1-1	18:54	9.3	1.8	21	11	4	112	3.59	0.122	✓
	113b2-1	19:25	9.5	4.5	8.4	3.5	3	96	4.53	0.134	✓
	<del>113b3-1</del>	20:26	7.7	1.8	8.9	17	7	89	0.79	0.129	✓
	113h2-1	20:46	8.5	2.0	19.7	24	5	100.6	1.38	0.118	✓
	113h3-1	21:05	7.3	1.8	10.4	19.8	10	110	0.77	0.125	✓
	113h4-1	21:25	7.4	1.5	16.2	17	4	75	1.4	0.118	✓
	113h5-1	21:45	7.7	1.98	18.7	32	4	85.5	0.9	0.123	✓
	113i1-1	22:15	8.4	0.4	15.6	15	3	109.9	1.74	0.1296	✓
	MGI.5-1	22:36	8.57	3.1	13.5	42	0	274	0.55	0.056	✓
	X1.4-1	22:55	8.9	0.3	539	661	2	229	1.45	0.0697	✓
	113i2-1	23:20	6.8	1.4	24.6	54	12	59	0.62	0.128	✓
	113i3-1	23:39	7.8	1.9	49	85	14	96.5	0.91	0.133	✓
	113i4-1	23:58	6.7	1.6	56	04	10	89.7	1.18	0.129	✓
	113i5-1	00:18	6.5	1.1	33	49	8	124	0.87	0.135	✓
	113j1-1	00:39	6.8	1.4	12.6	23	5	75	0.73	0.126	✓

two dropped out during analysis → turn on/off HV

28/02/2002



Rejection over-ride	Sample/ Std ID	Time - printout	UO/U 196 Kcps	206 cps	U ppm cps	204Pb ppb	f206 % cps	Age ±1σ (Ma) 206/238	CG 21 207/206	Offsets OK?	
	113j2-1	01:02	5.8 <del>5.8</del> 1.6	10	21	7	47	0.55	0.134	✓	
	113j3-1	01:19	4.8	0.4	6.5	7.5	5	25	0.83	0.1007	✓
	MG1.6-1	01:40	9.5	3.3	12.5	39	1	287	0.61	0.058	✓
	MG1.7-1	02:00	8.5	3.9	14	44	2	338	0.55	0.058	✓
	X1.5-1	02:19	8.9	0.3	624	789	0	278	1.4	0.072	✓
	113c3-1	02:42	8.2	3.0	24	83	9	129	0.47	0.127	✓
	113h6-1	03:02	7	1.4	12	26	24	43	0.67	0.17	✓
	MG1.8-1	04:01	8.6	3.8	16	49.7	1	360	0.57	0.058	✓
	X1.6-1	04:23	8.9	0.4	636	810	2	280	1.4	0.074	✓
	114f1-1	05:02	7.4	1.98	17	57	7	75	0.45	0.124	✓
	114a1-1	05:28	6.7	1.7	42	84	<del>118</del>	126	0.066	0.11	✓
	114b1-1	05:50	6.7	1.8	19.5	51	8	71	0.5	0.124	✓
	114d1-1	06:20	5.7	0.2	26	28	9	122	<del>0.63</del>	0.11	✓
	114d2-1	06:40	5.2	0.5	28	32	7	87	0.9	0.124	✓
	114d3-1	07:00	7.4	2.3	28	23	<del>115</del>	<del>127</del>	0.09	0.29	✓
	114d4-1	07:26	4.3	0.5	18	21	11	97	0.72	0.11	✓
	MG1.9-1	7:48	8.4	3.1	12.5	38	1	336	0.55	0.057	✓
	<del>XXXXXXXX</del>										
	X1.7-1	08:08	8.97	0.3	630	843	3	273	1.34	0.0723	✓
	BS1.2-1	08:28	8.7	6.4	2.9	9.2	3	338	0.55	0.065	

sample change HV off

labelled it  
114b all -1  
114b all -2

labelled it  
X1.971

0028 2.02

420

CS 28

CG 21